

## John Hopkins Fall Risk Screen Shot

Initial Summary | **Crash and** | Plan of Care | Orders | Visit

### Fall Risk

#### John Hopkins Fall Risk

##### Fall Risk Category

Scoring not completed for the following reason(s) (check any that apply).

- Complete Paralysis or completely immobilized (Low Risk).
- Pt has a history of more than one fall within 6 months before admission. Implement high fall risk interventions throughout hospitalization.
- Pt has experienced a fall during this hospitalization. Implement high fall risk interventions throughout hospitalization.
- Pt is deemed high fall-risk per protocol (e.g. seizure precautions). Implement high fall-risk interventions per protocol.

\* Complete the following Fall Risk Score. If no box is checked, score for category is 0.

##### Age

- 60 - 69 years
- 70 - 79 years
- More than or equal to 80 years

##### Fall History

- 1 fall within 6 months before admission

##### Elimination, Bowel and Urine

- Incontinence
- Urgency or frequency
- Urgency/frequency and incontinence

John Hopkins Fall Risk

##### Medications

\* Includes PCA/Opiates, Anti-Convulsants, Anti-Hypertensives, Diuretics, Hypnotics, Laxatives, Sedatives, and Psychotropics

- On 1 high fall risk drug
- On 2 or more high fall risk drugs
- Sedated procedure within past 24 hours

##### Patient Care Equipment

\* Any Equipment that tethers patient, e.g. IV Infusion, Chest Tube, Indwelling Catheters, SODs, etc.

- One Present
- Two Present
- 3 or more present

##### Mobility

- Requires assistance or supervision for mobility, transfer, ambulation
- Unsteady Gait
- Visual or auditory impairment affecting mobility

##### Cognition

- Altered awareness of immediate physical environment
- Impulsive
- Lack of understanding of one's physical, cognitive limitations

John Hopkins Hospital Fall Risk Score

\* If Total Points are equal to or greater than 6, patient is at risk for Falls.